

ENGINE CRANE

	Model: EC2000C Capacity: 2 t Min. Height: 75mm Max. Height: 2350mm Net Weight: 108 kg Packing Size: 1510 X 790 X 170mm
	Model: EC2000A Capacity: 2 t Min. Height: 265mm Max. Height: 2570mm 1 OF 2 N.W. 38 kg Packing Size: 875 X 565 X 205mm 2 OF 2 N.W. 60 kg Packing Size: 1640 X 325 X 160mm
	Model: EC1000 Capacity: 1 t Min. Height: 310mm Max. Height: 2170mm 1 OF 2 N.W. 35 kg Packing Size: 780 X 600 X 140mm 2 OF 2 N.W. 37 kg Packing Size: 1380 X 280 X 160mm



Model: EC500

Capacity: 500 kg

Min. Height: 360mm

Max. Height: 2350mm

1 OF 2 N.W. 64 kg

Packing Size: 1460 X 300 X 270mm

2 OF 2 N.W. 18 kg

Packing Size: 520 X 420 X 80mm

PICK-UP TRUCK CRANE



Model: TC1000 - A

Capacity: 1000 lbs

Min. Height: 790mm

Max. Height: 1810mm

Net Weight: 41 kg

Packing Size: 1030 x 300 x 185mm



Model: TC1000 - B

Capacity: 1000 lbs

Min. Height: 20mm

Max. Height: 1290mm

Net Weight: 28 kg

Packing Size: 800 x 250 x 150mm


LOAD LEVELER


Model: LL2000

Capacity: 2000 KG

Net Weight: 24 kg/4pcs

Packing Size: 615 x 255 x 205mm

Crane Forks



ahs: Automatic weight, balancer, adjustable height

Model	Capacity (kg)	Net Weight (kg)	Adjusting range of fork A (mm)	Effective Height B (mm)	Length of fork C (mm)	Fork cross D (mm)
LHSC-010SBahs	1000	140	350 - 900	1100 - 1600	1000	100 x 100
LHSC-015SBahs	1500	165	350 - 900	1300 - 2000	1000	100 x 100
LHSC-020SBahs	2000	220	400 - 900	1300 - 2000	1000	120 x 100
LHSC-030SBahs	3000	280	450 - 900	1300 - 2000	1000	120 x 100
LHSC-050SBahs	5000	380	530 - 1000	1300 - 2000	1000	150 x 100

Crane Forks



- All the crane forks are in conformity with Europe.
- Union safety standard.
- Four-insurance to avoid crack.
- All the spare parts are free-maintenance.
- Four round goods, only close up the forks.
- Adjust the fork distance according to the size of tray.
- Proof factory tested with 1.5 times the rated capacity.
- Manufactured according to EU machinery directive 98/37/EC



mh: Manual weight, balancer, adjustable height

Model	Capacity	Net Weight	Adjusting range of fork	Effective Height	Length of fork	Fork cross
	(kg)	(kg)	A (mm)	B (mm)	C (mm)	D (mm)
LHSC-010SBmh	1000	130	350 - 900	1100 - 1600	1000	100 x 100
LHSC-015SBmh	1500	150	350 - 900	1300 - 2000	1000	100 x 100
LHSC-020SBmh	2000	200	400 - 900	1300 - 2000	1000	120 x 100
LHSC-030SBmh	3000	250	450 - 900	1300 - 2000	1000	120 x 100
LHSC-050SBmh	5000	370	530 - 1000	1300 - 2000	1000	150 x 100

ENGINE STAND

	Model: ES750 Capacity: 750 lbs Height: 860 mm N.W.: 19 kg Packing: 800x 200x190mm		Model: ES1500 Capacity: 1500 lbs Height: 950 mm N.W.: 35 kg Packing: 850x250x250mm
	Model: ES1000-A Capacity: 1000 lbs Height: 940 mm N.W.: 23 kg Packing: 870x220x190mm		Model: ES1000-B Capacity: 1000 lbs Height: 900 mm N.W.: 26 kg Packing: 820x240x220mm
	Model: ES1250-A Capacity: 1250 lbs Height: 960 mm N.W.: 26 kg Packing: 900x220x200mm		Model: ES1250-B Capacity: 1250 lbs Height: 920 mm N.W.: 29 kg Packing: 850x250x220 mm
	Model: ES2000-A Capacity: 2000 lbs Height: 900 mm N.W.: 46 kg Packing: 810x410x170mm		Model: ES2000-B Capacity: 2000 lbs Height: 915 mm N.W.: 44.5 kg Packing: 810x410x170mm