

GRADE 80 ALLOY FITTINGS

GRADE 80 EYE SELF LOCKING HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-ESK-06	6	1.12	0.46
	8-ESK-08	7 + 8	2	0.75
	8-ESK-10	10	3.15	1.50
	8-ESK-13	13	5.3	2.80
	8-ESK-16	16	8	5.60
	8-ESK-20	18 + 20	12.5	7.75
	8-ESK-22	22	15	14.00

GRADE 80 NEW EYE SELF LOCKING SAFETY HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-NES-08	7 + 8	2	0.83
	8-NES-10	10	3.2	1.26
	8-NES-13	13	5.4	2.12
	8-NES-16	16	8.2	3.49





*** WARNING**
Working Load Limits should not be exceeded. Do not point load hooks.

GRADE 80 CLEVIS SELF LOCKING HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-CSK-06	6	1.12	0.45
	8-CSK-08	7 + 8	2	0.85
	8-CSK-10	10	3.15	1.45
	8-CSK-13	13	5.3	2.90
	8-CSK-16	16	8	5.60
	8-CSK-20	18 + 20	12.5	6.50
	8-CSK-22	22	15	16.00

GRADE 80 NEW CLEVIS SELF LOCKING SAFETY HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-NCS-08	7 + 8	2	0.85
	8-NCS-10	10	3.2	1.40
	8-NCS-13	13	5.4	2.50
	8-NCS-16	16	8.2	5.60

GRADE 80 SWIVEL SELF LOCKING HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-SSK-06	6	1.12	0.71
	8-SSK-08	7 + 8	2	1.30
	8-SSK-10	10	3.15	2.10
	8-SSK-13	13	5.3	4.67
	8-SSK-16	16	8	7.33
	8-SSK-20	18 + 20	12.5	12.00

GRADE 80 CLEVIS SLING HOOK WITH SAFETY LATCH

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-CSH-06	6	1.12	0.40
	8-CSH-08	7 + 8	2	0.64
	8-CSH-10	10	3.15	0.99
	8-CSH-13	13	5.3	1.70
	8-CSH-16	16	8	3.94
	8-CSH-20	18 + 20	12.5	6.19

GRADE 80 EYE SLING HOOK WITH SAFETY LATCH

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-ESH-06	6	1.12	0.30
	8-ESH-08	7 + 8	2	0.50
	8-ESH-10	10	3.15	1.04
	8-ESH-13	13	5.3	2.15
	8-ESH-16	16	8	3.25
	8-ESH-20	18 + 20	12.5	6.36

GRADE 80 CRADLE CLEVIS GRAB HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-CGK-06	6	1.12	0.18
	8-CGK-08	7 + 8	2	0.36
	8-CGK-10	10	3.15	0.75
	8-CGK-13	13	5.3	1.40
	8-CGK-16	16	8	2.80
	8-CGK-20	18 + 20	12.5	4.25
	8-CGK-22	22	15	6.60

GRADE 80 CRADLE EYE GRAB HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-EGK-06	6	1.12	0.13
	8-EGK-08	7 + 8	2	0.19
	8-EGK-10	10	3.15	0.75
	8-EGK-13	13	5.3	1.40
	8-EGK-16	16	8	2.20
	8-EGK-20	18 + 20	12.50	4.00
	8-EGK-22	22	15	5.65

GRADE 80 SHORTENING CLUTCH

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-STC-08	7 + 8	2	0.40
	8-STC-10	10	3.15	0.85
	8-STC-13	13	5.3	1.75

GRADE 80 CLEVIS FOREST HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-CFK-08	7 + 8	2	0.43
	8-CFK-10	10	3.15	0.89

GRADE 80 OMEGA LINK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-OML-08	7 + 8	2	0.21
	8-OML-10	10	3.15	0.42
	8-OML-13	13	5.3	1.10
	8-OML-16	16	8	1.42

GRADE 80 CONNECTING LINK, EUROPEAN TYPE

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-CNL-06	6	1.12	0.14
	8-CNL-08	7 + 8	2	0.20
	8-CNL-10	10	3.15	0.38
	8-CNL-13	13	5.3	0.76
	8-CNL-16	16	8	1.00
	8-CNL-20	18 + 20	12.5	1.90
	8-CNL-22	22	15	2.80
	8-CNL-26	26	21.2	4.75
	8-CNL-32	32	31.5	9.67

GRADE 80 CLEVIS SWIVEL HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-CHS-06	6	1.12	0.76
	8-CHS-08	7 + 8	2	1.26
	8-CHS-10	10	3.2	2.20
	8-CHS-13	13	5.4	4.40
	8-CHS-16	16	8.2	7.50

	8-CHS-20	18 + 20	12.5	13.70
--	----------	---------	------	-------

GRADE 80 SWIVEL HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-SWH-06	6	1.25	0.38
	8-SWH-08	7 + 8	2	1.00
	8-SWH-10	10	3.2	1.20
	8-SWH-13	13	5.4	2.08
	8-SWH-16	16	8.2	4.45
	8-SWH-20	18 + 20	12.5	7.40
	8-SWH-22	22	15	10.60

GRADE 80 EYE GRAB HOOK

	ITEM	CHAIN SIZE/INCH	WLL/LBS	N.W./LBS
	8-EGH-07	9/32(1/4)	3500	0.60
	8-EGH-10	3/8	7100	1.20
	8-EGH-13	1/2	12000	3.00
	8-EGH-20	3/4	28300	8.25
	8-EGH-22	7/8	34200	11.90

GRADE 80 CLEVIS GRAB HOOK

	ITEM	CHAIN SIZE/INCH	WLL/LBS	N.W./LBS
	8-CGH-07	9/32(1/4)	3500	0.62
	8-CGH-10	3/8	7100	1.26
	8-CGH-13	1/2	12000	3.45
	8-CGH-16	5/8	18100	5.64
	8-CGH-20	3/4	28300	10.69
	8-CGH-22	7/8	34200	13.62

GRADE 80 WEB SLING CONNECTOR

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-WSC-06	6	1.2	0.20
	8-WSC-08	7 + 8	2	0.30
	8-WSC-10	10	3.2	0.68
	8-WSC-13	13	5.4	1.47
	8-WSC-16	16	8.2	2.30
	8-WSC-20	18 + 20	12.5	3.30
	8-WSC-22	22	15	7.00

8-WSC-26	26	21.2	11.60
8-WSC-32	32	32	20.00

GRADE 80 SLING HOOK WITH LINK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-SHL-08	7 + 8	2	0.48
	8-SHL-10	10	3.2	0.86
	8-SHL-13	13	5.4	1.82
	8-SHL-16	16	8.2	3.18
	8-SHL-20	18 + 20	12.5	5.00

GRADE 80 EYE CHOKE HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-ECK-08	7 + 8	2	0.39
	8-ECK-10	10	3.2	0.75
	8-ECK-13	13	5.4	1.5
	8-ECK-16	16	8.2	3.1

GRADE 80 WELD ON HOOK

	ITEM	WLL/TON	B.L./TON	N.W./KGS
	8-WOH-02	2	10	0.83
	8-WOH-03	3	15	1.18
	8-WOH-05	5	25	2.50
	8-WOH-08	8	40	3.26
	8-WOH-10	10	50	5.17

GRADE 80 SLIDING CHOKE HOOK

	ITEM	SIZE/INCH	WLL/TON	N.W./KGS
	8-SCH-01	3/8 - 1/2	1.5	0.71
	8-SCH-02	5/8	2.2	1.31
	8-SCH-03	3/4	3.6	2.2
	8-SCH-04	1	5	4.3

GRADE 80 CONNECTING FITTING

	ITEM	SIZE	WLL	N.W.
		MM	TON	KGS
	8-CNF-08	8	2	0.61

LIFTING CLUTCH

	WLL	WEIGHT/KG
	1T-1.3T	0.85
	1.5T-2.5T	1.40
	3T-5T	3.42
	6T-10	9.10

GRADE 80 BELT HOOK

	ITEM	WLL/TON	SIZE/MM	B.L./TON	N.W./KGS
	8-BHK-2.2	2.2	60	8.80	1.80

GRADE 80 CLEVIS BELT HOOK

	ITEM	WLL/TON	SIZE/MM	B.L./TON	N.W./KGS
	8-CBK-1.6	1.6	60	6.4	1.25
	8-CBK-2.2	2.2	70	8.8	1.7

GRADE 80 EYE BELT HOOK (NEW)

	ITEM	WLL/TON	SIZE/MM	B.L./TON	N.W./KGS
	8-EBK-1.6	1.6	60	6.4	1.21

GRADE 80 COUPLING SELF LOCKING HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-CSL-06	6	1.12	0.6
	8-CSL-08	7 + 8	2	0.9
	8-CSL-10	10	3.15	1.8
	8-CSL-13	13	5.3	3.0
	8-CSL-16	16	8	6.0

8-CSL-20	18 + 20	12.50	8.8
8-CSL-22	22	15	11.3
8-CSL-26	26	21.2	14.2

GRADE 80 ROUND SLING SELF LOCKING HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-RSK-06	6	1.12	0.8
	8-RSK-08	7 + 8	2	1.0
	8-RSK-10	10	3.15	1.9
	8-RSK-13	13	5.3	3.5
	8-RSK-16	16	8	6.8
	8-RSK-20	18 + 20	12.50	9.8
	8-RSK-22	22	15	16.5
	8-RSK-26	26	21.2	23.5


GRADE 80 EYE FOUNDRY HOOK

	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-EFK-08	7 + 8	2	1.08
	8-EFK-10	10	3.15	1.95
	8-EFK-13	13	5.3	2.30
	8-EFK-16	16	8	5.30
	8-EFK-20	20	12.5	9.00

GRADE 80 CLEVIS C HOOK


	ITEM	CHAIN SIZE/MM	WLL/TON	N.W./KGS
	8-CCK-08	7 + 8	2	0.57
	8-CCK-10	10	3.15	1.40
	8-CCK-13	13	5.3	3.00

GRADE 80 MASTER LINK, EUROPEAN TYPE


	ITEM	WLL/T	B.L./T	A	B	D	WEIGHT/kg
	8-MKE-0708	3.2	12.8	120	70	14	0.44
	8-MKE-1008	4	16	140	80	17	0.76
	8-MKE-0013	6.3	25.2	150	90	19	1.03
	8-MKE-1310	8	32	160	95	22	1.50
	8-MKE-0016	11.5	46	180	110	25	2.17
	8-MKE-1613	15	60	190	105	28	2.84

8-MKE-0019	17	68	200	120	30	3.50
8-MKE-2216	20	80	240	140	34	5.32
8-MKE-0026	25	100	250	150	38	7.04
8-MKE-2619	30	120	250	150	40	7.86
8-MKE-3222	37	148	300	180	45	11.82
8-MKE-3226	43	172	300	200	50	15.20
8-MKE-3632	56	224	350	200	55	20.54
8-MKE-4536	70	280	375	210	60	26.15

GRADE 80 MASTER LINK ASSEMBLY, EUROPEAN TYPE


	ITEM	WLL/T	B.L./T	A	B	D	a	b	d	WEIGHT/kg
	8-MAE-0006	3.1	12.4	130	60	14	30	16	10	0.6
	8-MAE-0708	4.6	18.4	160	90	20	60	35	13	1.6
	8-MAE-0010	7.8	31.2	195	110	25	80	40	16	3.08
	8-MAE-0013	14	56	240	140	32	90	50	22	6.5
	8-MAE-0016	24.8	99.2	270	140	40	100	60	28	11.6
	8-MAE-1820	33.3	133.2	300	155	45	180	100	32	17
	8-MAE-0022	37.1	148.4	350	190	50	180	100	40	26.4
	8-MAE-0026	50	200	410	220	60	200	110	45	42.3
	8-MAE-0032	74.8	299.2	420	250	70	200	110	50	61

GRADE 80 FORGED MASTER LINK, AMERICAN TYPE A-342, SF: 5:1


	ITEM	SIZE INCH/MM		WLL/TON	A	B	D	N.W./KGS
	8-MLK-13	1/2	13	3.2	127	63.5	13	0.36
	8-MLK-16	5/8	16	4.1	152	76	16	0.7
	8-MLK-19	3/4	19	5.6	140	70	19	0.93
	8-MLK-22	7/8	22	6.8	160	90	22	1.5
	8-MLK-25	1	25	11	178	89	25	2.1
	8-MLK-32	1-1/4	32	16.4	222	111	32	4.24
	8-MLK-38	1-1/2	38	24.6	267	135	38	7.17
	8-MLK-44	1-3/4	44	38.5	305	152	44	11.55
	8-MLK-51	2	51	46.5	355	178	51	17.2
	8-MLK-57	2-1/4	57	64.9	406	203	57	24.5
	8-MLK-63	2-1/2	63	72.6	406	203	63.5	30.9
	8-MLK-70	2-3/4	70	98.4	406	241	70	39.5
	8-MLK-76	3	76	103.4	457	228	76	50.34

8-MLK-82	3-1/4	83	119	508	254	82.5	65.68
8-MLK-89	3-1/2	89	126.5	310	305	89	90.24
8-MLK-95	3-3/4	95	152.4	508	254	95	89.27
8-MLK-101	4	102	169.2	508	254	101.6	103.43


GRADE 80 MASTER LINK ASSEMBLY, AMERICAN TYPE A-345, SF:5:1

	ITEM	SIZE INCH	WLL TON	A	B	D	a	b	d	s	N.W. KGS
	8-MLA-19	3/4	4.1	140	70	20	85	40	14	7.6	1.55
	8-MLA-25	1	8.4	178	89	25	100	60	18	8.4	3.29
	8-MLA-32	1-1/4	14.1	220	110	32	100	60	22	13.5	7.18
	8-MLA-38	1-1/2	21.3	267	135	38	180	100	28	16.5	12.91
	8-MLA-44	1-3/4	33.3	305	152	45	180	100	35	18.5	21.25
	8-MLA-51	2	40.3	356	178	50	180	100	38	-	30.34

GRADE 80 WELDED MASTER LINK, AMERICAN TYPE A-344

	ITEM	SIZE INCH	WLL LBS/TON 4:1(CHAIN)	WLL LBS/TON 5:1(WIRE ROPE)	A	B	D	S	N.W. KGS
	8-WML-12	7/16	3500/1.6	2800/1.2	100	60	12	6	0.27
	8-WML-14	1/2	6000/2.7	4800/2.2	100	60	14	7.6	0.38
	8-WML-18	11/16	8800/4.0	7100/3.2	160	90	18	8.4	0.85
	8-WML-20	3/4	14300/6.5	11500/5.2	160	90	20	10.4	1.2
	8-WML-22	7/8	18100/8.2	14500/6.5	180	100	22	13.5	1.65
	8-WML-25	1	25300/11.5	20300/9.2	180	100	25	16.5	2.15
	8-WML-28	1-1/8	26000/11.8	20800/9.4	270	140	28	-	3.80
	8-WML-32	1-1/4	35300/16.0	28300/12.8	270	140	32	-	5.05

GRADE 80 WELDED MASTER LINK ASSEMBLY, AMERICAN TYPE A-347

	ITEM	SIZE INCH	WLL LBS/TON 4:1 CHAIN	WLL LBS/TON 5:1 WIRE ROPE	A	B	D	a	b	d	s	N.W. KGS
	8-WMA-14	1/2	5300/2.4	4300/2	100	60	14	85	40	12	6	0.83
	8-WMA-18	11/16	7100/3.2	5700/2.6	160	90	18	100	60	14	7.6	1.6
	8-WMA-20	3/4	11000/5	8800/4	160	90	20	100	60	14	7.6	1.95
	8-WMA-22	7/8	17600/8	14100/6.4	180	100	22	150	70	18	8.4	3.16
	8-WMA-28	1-1/8	26500/12	21200/9.6	270	140	28	160	90	22	13.5	6.74
	8-WMA-32	1-1/4	38400/17	30000/13.6	270	140	32	180	100	25	16.5	9.3


*** WARNING**

- Do not exceed working load limit.
- Use only alloy chain and attachments for overhead lifting.